



## Standard Duty Aluminum Leg & Wheel Docks

- Exceptionally strong aluminum frame
- Support stanchions built into the frame, for an obstruction-free dock edge
- Removable decking in cedar, aluminum, NyloDeck<sup>®</sup> composite<sup>®</sup> or attached Sure-Step<sup>®</sup> decking
- Optional powder-coated frame



## EASY one person install

Our innovative connector clips and lightweight sections allow for one person to easily connect sections together and install the dock system. Wheel docks easily roll in and out as the water fluctuates during the season.



Dock mounted roller (see page 13)



Standard duty aluminum docks used to create a shoreside deck area.



Standard duty aluminum leg dock with Sure-Step® decking and our freestanding launch port system (see page 49).



## Standard Duty Aluminum see color choices on p. 15 see decking details on p. 15 CEDAR ALUMINUM NYLODECK® SURE-STEP **Price** Price Price Size Weight\* **Price LEG DOCKS** $4' \times 8'$ 49 lbs. \$ 549 \$ 759 865 n/a $4' \times 10'$ 63 lbs. \$ 629 \$ 879 \$1,019 n/a 4'3" × 8'5" 99 lbs. n/a n/a n/a \$ 729 125 lbs. \$ 839 4' 3" × 10' 5" n/a n/a n/a WHEEL DOCKS 95 lbs. $4' \times 12'$ \$1,055 \$ 1,349 \$1,495 n/a 149 lbs. 4' 3" × 12' 5" n/a n/a n/a \$1,309

Dock pricing includes frame and removable decking. Wheel dock pricing includes (1) pair of wheels and axle assembly. The necessary assembly components are sold separately.

\*Weights for docks with cedar, NyloDeck® or aluminum decking do not include the decking. Sure-Step® decking attaches directly to the dock frame and is not removable. Please allow additional order time for powder coated frame upgrade.



## **Assembly Components**



Connector Clips for connecting docks together

\$ 23.00 set of 2



Safety Cap for 1 ½" pipe \$ 4.95 each



Aluminum
Pipe 1 ½"
cut to length pending
water depth
\$ 6.95 / foot



Footpad (aluminum) \$ 32.00 each



Cross Braces (optional) stabilizes docks in deeper water \$ 137.00