Waterfront Access: Aluminum Stairs


Our lightweight aluminum stair kits are designed for a variety of applications. Offering a lifetime of virtually maintenance free features, these quality aluminum stairs are an economical solution for waterfront or hillside access and ideal solution to replacing your old wooden steps. Not recommended for in-water use.





Above: Aluminum stair system on a site with a steep shoreline with $3' \times 4'$ platforms as landings for each section of stairs. Below: 10-step stairs used as a transition to our heavy duty steel truss docks.





Above: Stair system on an oceanfront property can be easily removed in winter to protect the stairs.




Waterfront Access: Aluminum Stairs





3' × 4' stair platform



www.thedockdoctors.com/stair-kits



4 and 6-step stairs ship UPS ground





8 thru 16-step stairs ship freight




Aluminum Stairs

All stairs can be assembled to fit any distance between the minimum and maximum rise.


All stair treads a	ire 28" wide
--------------------	--------------

		MINIMUM RISE			MAXIMUM RISE			
# of Steps	Price*	Rise @ 6" (27°)	Run with 6" rise	Length with 6" rise	Rise @ 9" (44°)	Run with 9" rise	Length with 9" rise	Weight
4	\$1,025	2' 0"	4' 7"	5' 0"	3' 0"	3' 11"	4' 11"	70 lbs.
6	\$1,325	3' 0"	6' 6"	7' 2"	4' 6"	5' 6"	7' 1"	100 lbs.
8	\$1,625	4' 0"	8' 5"	9' 4"	6' 0"	7' 1"	9' 3"	122 lbs.
10	\$1,925	5' 0"	10' 4"	11' 6"	7' 6"	8' 8"	11' 5"	150 lbs.
12	\$2,225	6' 0"	12' 3"	13' 8"	9' 0"	10' 2"	13' 7"	174 lbs.
14	\$2,525	7' 0"	14' 2"	15' 10"	10' 6"	11' 9"	15' 9"	202 lbs.
16	\$2,825	8' 0"	16' 1"	18' 0"	12' 0"	13' 3"	17' 11"	225 lbs.
n/a	\$820	3' × 4' stair platform (standard duty aluminum with aluminum decking)						45 lbs.





How to measure for stairs





www.thedockdoctors.com/stair-kits

Assembly Options:

Unassembled: Requiring assembly on site to contour to desired rise (note: some drilling is required).

Pre-assembled: Factory assembled and adjusted to desired rise (note: additional assembly charge will apply).

Prices do not include shipping/delivery. To calculate shipping to your location, please visit: www.thedockdoctors.com/stair-kits



mounting bracket



rounded aluminum handrail



non-skid, 28" wide aluminum stair treads



(optional)

Adjustable Footpad \$265 / pair

Requires drilling stair on-site to mount.

^{*}Price includes mounting bracket (fasteners to existing platform not included); handrails down each side and slip resistant stair treads. Stair uprights remain vertical in any rise. Optional top and/or bottom stair platform in $3' \times 4'$ standard duty aluminum. Optional pair of Adjustable Footpads includes brackets to mount to bottom of stairs, 1-1/2'' aluminum support pipes 24'' long, black safety caps & aluminum footpads. Requires stair frame drilling on-site to mount